

LVT Thermofix

Luxury Vinyl Tiles

LVT Imperio

Luxury Vinyl Tiles

LVT Stone

Luxury Vinyl Tiles



- * Healthcare
- * Education
- * Industrial Hall
- * Office
- * Hotel



LVT Thermofix Wood



WHOTE PINE – RUSTIC 12108-1



RUSTIC BEECH 12109-1




OAK 12110-2



WHITE HORNBEAM 12111-2



SOLID WOOD HORNBEAM 12113-2



EUROPEAN WALNUT 12118-1




WHITENED OAK 12123-2



SIBERIAN PINE 12128-1



FARMER'S WOOD 12130-1



NATURAL OAK 12131-1



SMOKY BEECH 12133-1



SMOKY OAK 12134-1

LVT Thermofix Wood



RUSTIC OAK 12135-1



CARAMEL OAK 12137-1



CHOCOLATE OAK 12137-2



MILK PINE 12139-2



ASH BRICK 12142-1



MEDITERIAN PINE 12143-1




WHITE POLAR 12144-1



COFFEE POPLAR 12145-1



ASH POLAR 12146-1



ANTIQUE PINE 12147-1




NORTHERN SPRUCE 12148-1




VINTAGE 12149-1

LVT Thermofix Wood




SILK OAK 12150-1




SATIN OAK 12151-1




BROWN ASH 12152-1



BROWN ASH 12153-1




GREENLAND OAK 12154-1




GREENLAND OAK 12155-1




MIDNIGHT OAK 12156-1




HAVANA OAK 12157-1




BURNT OAK 12158-1



TRADITIONAL OAK 12159-1



GRAND OAK 12160-1



MEADOW OAK 12161-1

LVT Thermofix Wood



NOUGAT OAK 12162-1



AUTUMN OAK 12163-1




OLDRIND 12164-1



VARIETY 12165-1



MOUNTAIN YEW 12203-4



DARK OAK 12204-2






LVT Imperio




ALGERIAN OAK 29501-1




CALIFORNIAN OAK 29503-1



CORSIAN CHESTNUT 29505-1



RHINE OAK 29505-2



CAPUCCINO BEECH 29506-2



AUSTRIAN OAK 29507-1



ALASKAN PINE 29509-1



BAIKAL SPRUCE 29509-2




NORWEGIAN OAK 29510-1



SILVER OAK 29513-1



GOLDEN OAK 29513-2



LIGHT ASCH 29514-1


LVT Thermofix Stone




TRAVERTIN KLASIK 15208-1




WHITE STANDARD SHALE 15402-1




BLACK STANDARD SHALE 15402-2




SILVER SHALE 15410-1



METAL SHALE 15410-2



WEAVE 15412-1



STRIPE 15413-1



TRAVERTIN DAWN 15414-1



TRAVERTIN LIGHT 15415-1



TRAVERTIN DUSK 15416-1



IVORY SANDSTONE 15417-1



PEARL SANDSTONE 15418-1

LVT Thermofix Wood / Stone / LVT Imperio

TECHNICAL PARAMETERS	STANDARD	UNIT	VALUE
Plank Size	EN ISO 24342	mm	
Tile Size	EN ISO 24342	mm	
Total Thickness	EN ISO 24342	mm	2,00 / 2,50 & 2,20
Wear Layer Thickness	EN ISO 24342	mm	0,40 / 0,80 & 0,30 / 0,55
Plank Squareness	EN ISO 24342	mm	
Tile Squareness	EN ISO 24342	mm	
Residual Indentation	EN ISO 24343-1	mm	≤0,1
Dimensional Stability	EN ISO 23999	%	≤0,25
Colour Fastness	EN ISO 105-B02 (method 3)	degree	min.6
Flexibility	ISO 24344 (method A)	mm	20
Flammability	EN 13501-1	degree	Bfl S1
Anti-slipping	EN 14041 - DIN 51130	—	DS / R 11
Castor Chair Resistance	EN 425	—	meets
Floor Heating	—	—	meets
Thermal Conduction	CSN EN 14041	W/(m.K)	017
Resistance to bacteria	EN ISO 846	—	meets
VOC	—	—	meets
Formaldehyde Emission	EN 14041	—	E1

